



Gyokucho Co.,Ltd. JAPAN

58-14, OMURA, MIKI-CITY,
HYOGO-PREF. 673-0404 JAPAN
TEL +81-(0)794-83-2277
FAX +81-(0)794-83-3479
<http://www.gyokucho.co.jp/>
<http://www.razorsaw.co.jp/>
E-mail : info@gyokucho.co.jp

DISTRIBUTED BY



Gyokucho

RAZORSAW

Product information

In pursuit of ideal quality, RAZORSAW always endeavors to promote technological innovation

ENGLISH VERSION



Choose a Razorsaw that fits your needs!

Razorsaw is varying according to type of work a hand and the material to be cut. You should purchase a saw that is suited to your needs. Please feel free to contact us if you have any questions about our saws and their uses.



- 01**
FUGAKU
Folding Saw 240mm
Dozuki Super Hard
Dozuki Universal
Kataba Super Hard
- 02**
Double Edge
SEIUN SAKU
BLUE HARD
- 03**
0.3mm
P04 SUN CHILD
P04 TATEBIKI
A, ZA
DOZUKI
Razor Gold A, ZA
Flush Cutting Saw
- 04**
Cross-Cut
P05 SUPER HARD
P05 PROTON POWER SAW
05
P06
P06
- 05**
UNIQUE
SERIES
P07 Cutter Saws
P07 Hipper
P07 Siding Saw
P08
P08
P08



- 06**
180mm
180 USUBA
180 RYOBA
180 KOMAME
180 ATSUBA
180 JUSHI
180 DOZUKI
- 07**
FUGAKU
P09 EDAUCHI
P09 TAKEHIKI
P10 KAJU
P10 NAMA
P10 SENTI
- 08**
FD-20
P11 BANNO
P12 NAMA
P12 TAKEHIKI
P12 JUSHI
P12 KAJU
KARIWAKU
- 09**
Select
P13 200/250/300 KARIWAKU
P13 200/250/300 TAKEHIKI
P13 200/250 JUSHI
P14 200/250/300 NAMA
P14 200/250/300 SENTI
P14 200/250/300 KAJU
- 10**
Folding
P15 All Purpose
P15 Trimming
P15 Fine Cutting
P17
P17
P17



- 11**
Green Wood
& Pruning
Super Kenryu
KOBKI
Pole Saw
- 12**
Bamboo
P18 TAKEHIKI NOKO
P18 KARIWAKU
P18
- 13**
Yanipika
P19
P20
P19
- 14**
Feature
P21
- 15**
Company Profile
P22

01


Razorsaw
FUGAKU
Folding Saw 240mm
SERIES

Gyokucho

Razorsaw


In pursuit of ideal quality, RAZORSAW always endeavors to promote technological innovation

Professional woodworking saws are now available as compact folding hand saws. They come with a beech handle with brown urethane painting.



Dozuki Super Hard

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
110	FUGAKU Dozuki Super Hard	240mm/9.4inch	0.3mm	1.5mm/16.9	Woodworking, General Lumber, Crosscut, Curved Tip
S-110	Spare Blade for FUGAKU Dozuki Super Hard				



Dozuki Universal

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
111	FUGAKU Dozuki Universal	240mm/ 9.4inch	0.3mm	1.5mm/16.9	Woodworking, Ripcut and Crosscut, General Lumber, Accurate Dovetail Cut
S-111	Spare Blade for FUGAKU Dozuki Universal				



Kataba Super Hard

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
112	FUGAKU Kataba Super Hard	240mm/ 9.4inch	0.6mm	1.9mm/ 13.4	Woodworking, Crosscut, Composite Material, Plywood, Solid Wood
S-112	Spare Blade for FUGAKU Kataba Super Hard				

02

Razorsaw
Double Edge
SERIES

Gyokucho

Razorsaw

In pursuit of ideal quality, RAZORSAW always endeavors to promote technological innovation

Double Edge: Double Edge Saws (Ryoba Noko Giri) are the mainstay of the Japanese woodworker. One edge is used for ripping and the other for crosscutting. These saws are recommended for general purpose woodworking and cabinetmaking.



SEIUN SAKU

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
605	SEIUN SAKU 210	210mm/8.3inch	0.45mm	1.5mm/16.9	General Lumber, Cabinetmaking
S-605	Spare Blade for SEIUN SAKU 210				
610	SEIUN SAKU 240	240mm/9.4inch	0.5mm	1.7mm/14.9	
S-610	Spare Blade for SEIUN SAKU 240				
615	SEIUN SAKU 270	270mm/10.6inch	0.6mm	2.5mm/10	General Lumber, Carpentry
S-615	Spare Blade for SEIUN SAKU 270				
616	SEIUN SAKU 300	300mm/11.8inch	0.7mm	3.0mm/8.5	
S-616	Spare Blade for SEIUN SAKU 300				
611	SEIUN SAKU KOMAME 240	240mm/9.4inch	0.45mm	1.3mm/19.5	General Lumber, Cabinetmaking
S-611	Spare Blade for SEIUN SAKU KOMAME 240				



BLUE HARD

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
649	BLUE HARD 210	210mm/8.3inch	0.45mm	1.5mm/16.9	General Lumber, Cabinetmaking
S-649	Spare Blade for BLUE HARD 210				
650	BLUE HARD 240	240mm/9.4inch	0.5mm	1.7mm/14.9	
S-650	Spare Blade for BLUE HARD 240				
655	BLUE HARD 270	270mm/10.6inch	0.6mm	2.5mm/10	General Lumber, Carpentry
S-655	Spare Blade for BLUE HARD 270				
651	BLUE HARD KOMAME 240	240mm/9.4inch	0.45mm	1.3mm/19.5	General Lumber, Cabinetmaking
S-651	Spare Blade for BLUE HARD KOMAME 240				

03

Razorsaw
0.3mm
SERIES

Gyokucho
Razorsaw

In pursuit of ideal quality, RAZORSAW always endeavors to promote technological innovation



0.3mm: The 0.3mm Saws are our finest cutting saws to be used wherever a precision, finely finished surface is required.



Art.No.311

SUN CHILD

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
311	SUN CHILD	240mm/9.4inch	0.3mm	1.3mm/19.5	Accurate Dovetail Cut, General Lumber, Hard Plastic
S-311	Spare Blade for SUN CHILD				



Art.No.303

TATEBIKI

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
303	TATEBIKI NOKO	240mm/9.4inch	0.3mm	1.5mm/16.9	Accurate Dovetail Cut, General Lumber
S-303	Spare Blade for TATEBIKI NOKO				



Art.No.300



Art.No.307

A, ZA

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
300	RAZORSAW A	240mm/9.4inch	0.3mm	1.5mm/16.9	Fine Surface Finish, General Lumber
301	RAZORSAW A EVA GRIP				
S-300	Spare Blade for RAZORSAW A				
306	RAZORSAW ZA	240mm/9.4inch	0.3mm	1.5mm/16.9	Fine Surface Finish, General Lumber, Curved Tip
307	RAZORSAW ZA EVA GRIP				
S-306	Spare Blade for RAZORSAW ZA				



Art.No.370



Art.No.371



Art.No.372

DOZUKI

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
370	DOZUKI NOKO	240mm/9.4inch	0.3mm	1.0mm/25.4	Extremely Fine Surface Finish, General Lumber
S-370	Spare Blade for DOZUKI NOKO				
371	DOZUKI NOKO WIDE TYPE	240mm/9.4inch	0.3mm	1.0mm/25.4	Extremely Fine Surface Finish, General Lumber
S-371	Spare Blade for DOZUKI NOKO WIDE TYPE				
372	TATEBIKI NOKO DOZUKI STYLE	240mm/9.4inch	0.3mm	1.3mm/19.5	Extremely Fine Surface Finish, General Lumber, Accurate Dovetail Cut
S-372	Spare Blade for TATEBIKI NOKO DOZUKI STYLE				



Art.No.200



Art.No.202

Razor Gold A, ZA

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
200	Razor Gold A	270mm/10.6inch	0.3mm	1.5mm/16.9	Fine Surface Finish, General Lumber
S-200	Spare Blade for Razor Gold A				
202	Razor Gold ZA	270mm/10.6inch	0.3mm	1.5mm/16.9	Fine Surface Finish, General Lumber, Curved Tip
S-202	Spare Blade for Razor Gold ZA				



Art.No.1150



Art.No.1151

Flush Cutting Saw

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
1150	Flush Cutting Saw Single Edge	100mm/3.9inch	0.3mm	1.0mm/25.4	Dowel, Peg, Tenon
1151	Flush Cutting Saw Double Edges	125mm/4.9inch	0.3mm	1.0mm & 1.3mm/25.4 & 19.5	Dowel, Peg, Tenon

04

Razorsaw
Cross-Cut
SERIES



Gyokucho Razorsaw
In pursuit of ideal quality, RAZORSAW always endeavors to promote technological innovation

Cross-Cut: The Cross-Cut, with a short metal spine, are designed to easily cut a variety of large and deep material. They cut very rapidly and leave an excellent finish.



Art.No.410

Art.No.453

SUPER HARD

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
410	SUPER HARD 06-240	240mm/9.4inch	0.6mm	1.5mm/16.9	General Lumber, Composite Material
412	SUPER HARD 06-240 EVA GRIP				
S-410	Spare Blade for SUPER HARD 06-240				
450	SUPER HARD 06-270	270mm/10.6inch	0.6mm	1.7mm/14.9	
453	SUPER HARD 06-270 EVA GRIP				
S-450	Spare Blade for SUPER HARD 06-270				



Art.No.400

PROTON POWER SAW

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
400	PROTON POWER SAW IBARAME	240mm/9.4inch	0.6mm	1.9mm/13.4	General Lumber, Composite Material
S-400	Spare Blade for PROTON POWER SAW IBARAME				



Art.No.105

05

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
105	RAZORSAW 05	255mm/10inch	0.5mm	1.3mm/19.5	General Lumber, Composite Material
S-105	Spare Blade for RAZORSAW 05				

05

Gyokucho
UNIQUE
SERIES




Gyokucho Razorsaw
In pursuit of ideal quality, RAZORSAW always endeavors to promote technological innovation

UNIQUE SERIES: These Unique Series are a new breed of unique performance designs.



Cutter Saws




Cutter Saw



Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
1160	Cutter Saw	80mm/3.1inch	0.45mm	1.3mm/19.5	General Lumber PVC Pipe, Bamboo
S-1160	Spare Blade for Cutter Saw				
1161	Cutter Saw NAMAKI				
S-1161	Spare Blade for Cutter Saw NAMAKI	80mm/3.1inch	0.45mm	1.7mm/14.9	Small Green Wood
1162	Cutter Saw RECYCLE				
S-1162	Spare Blade for Cutter Saw RECYCLE	80mm/3.1inch	0.45mm	3.0mm/8.5	Card Board, PET Bottle
1163	Cutter Saw KANAKIRI				
S-1163	Spare Blade for Cutter Saw KANAKIRI				



Hipper



Keyhole




Art No.TH001

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
TH001	HIPPER	150mm/5.9inch	0.9mm	1.7mm/14.9	Keyhole Saw (Pull stroke)
TH002	Spare Blade for HIPPER				Keyhole Saw (Pull stroke)
TH004	Spare Blade for HIPPER	100mm/3.9inch	0.9mm	1.7mm/14.9	Keyhole Saw (Push stroke)



Siding Saw



Pitch 1.5mm



Art.No.TA001

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
TA001	Siding Saw	250mm/9.8inch	0.7mm	1.5mm/16.9	Hard Plastic, Ceramic Board, Plasterboard
TA002	Spare Blade for Siding Saw				



FUGAKU
Folding Saw
240mm

Double Edge

0.3mm

Cross-Cut

UNIQUE
SERIES

180mm

FUGAKU

FD-20

Select

Folding Saw

Green Wood &
Pruning Saw

Bamboo Saw

Yanipika

Feature

Company Profile

06


Razorsaw
180mm
SERIES

Gyokucho
Razorsaw

In pursuit of ideal quality, RAZORSAW always endeavors to promote technological innovation

180 SERIES

180mm: The 180mm compact series are a new breed of high performance Japanese Saws :compact enough to fit into any tool box.



Art.No.290

180 USUBA

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
290	RAZORSAW 180 USUBA	180mm/7.1inch	0.3mm	1.5mm/16.9	General Lumber, Plywood, Bamboo,Curved Tip
S-290	Spare Blade for RAZORSAW 180 USUBA				



Art.No.291

180 RYOBA


Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
291	RAZORSAW 180 RYOBA	180mm/7.1inch	0.5mm	1.5mm/16.9	General Lumber, Plywood, Laminated Lumber
S-291	Spare Blade for RAZORSAW 180 RYOBA				



Art.No.292

180 KOMAME

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
292	RAZORSAW 180 KOMAME	180mm/7.1inch	0.3mm	1.0mm/25.4	General Lumber, Extremely Fine Surface Finish
S-292	Spare Blade for RAZORSAW 180 KOMAME				



Art.No.293

180 ATSUBA


Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
293	RAZORSAW 180 ATSUBA	180mm/7.1inch	0.5mm	1.5mm/16.9	General Lumber, Plywood, Laminated Lumber,Curved Tip
S-293	Spare Blade for RAZORSAW 180 ATSUBA				



Art.No.295

180 JUSHI

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
295	RAZORSAW 180 JUSHI	180mm/7.1inch	0.3mm	1.5mm/16.9	Accurate Dovetail Cut, Hard Plastic
S-295	Spare Blade for RAZORSAW 180 JUSHI				



Art.No.297

180 DOZUKI

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
297	RAZORSAW 180 DOZUKI	180mm/7.1inch	0.3mm	1.0mm/25.4	General Lumber, Extremely Fine Surface Finish
S-297	Spare Blade for RAZORSAW 180 DOZUKI				



FUGAKU
Folding Saw
240mm

Double Edge

0.3mm

Cross-Cut

UNIQUE
SERIES

180mm

FUGAKU

FD-20

Select

Folding Saw

Green Wood &
Pruning Saw

Bamboo Saw

Yanipika

Feature

Company Profile

07

FUGAKU

SERIES

Gyokucho
Razorsaw

In pursuit of ideal quality, RAZORSAW always endeavors to promote technological innovation

FUGAKU: Fugaku series feature optimum teeth characteristics for pruning different types of trees. There are five types of blades and just one type of handle. Just replace a blade depending on what you are going to cut.




Art.No.7753



Art.No.7763



Art.No.7773



EDAUCHI


Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
F7753	FUGAKU FLC27-A	270mm/10.7inch	1.4mm	4.0mm/6.3	EXTRA LARGE TEETH (Green Wood, Pruning, Trimming Gardening, Fruit Tree)
F775	Spare Blade for FUGAKU FLC27				
F7763	FUGAKU FLC30-A	300mm/11.8inch	1.4mm	4.0mm/6.3	
F776	Spare Blade for FUGAKU FLC30				
F7773	FUGAKU FLC33-A	330mm/13inch	1.4mm	4.0mm/6.3	
F777	Spare Blade for FUGAKU FLC33				



Art.No.F7153

TAKEHIKI


Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
F7143	FUGAKU FLB24-A	240mm/9.5inch	0.7mm	1.7mm/15	FINE TEETH (Bamboo, Gardening, Fruit Tree)
F714	Spare Blade for FUGAKU FLB24				
F7153	FUGAKU FLB27-A	270mm/10.7inch	0.7mm	1.7mm/15	
F715	Spare Blade for FUGAKU FLB27				
F7163	FUGAKU FLB30-A	300mm/11.8inch	0.8mm	2.5mm/10	
F716	Spare Blade for FUGAKU FLB30				



Art.No.F7553

KAJU


Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
F7543	FUGAKU FLF24-A	240mm/9.5inch	0.8mm	2.5mm/10	MEDIUM TEETH (Fruit Tree, Pruning, Trimming, Gardening, Green Wood, Bamboo)
F754	Spare Blade for FUGAKU FLF24				
F7553	FUGAKU FLF27-A	270mm/10.7inch	0.8mm	2.5mm/10	
F755	Spare Blade for FUGAKU FLF27				
F7563	FUGAKU FLF30-A	300mm/11.8inch	0.85mm	3.0mm/8.5	
F756	Spare Blade for FUGAKU FLF30				



Art.No.F7353

NAMAKI

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
F7343	FUGAKU FLG24-A	240mm/9.5inch	0.8mm	2.7~3.5mm/9.4~7.2	LARGE TEETH (Green Wood, Pruning, Trimming Gardening, Fruit Tree)
F734	Spare Blade for FUGAKU FLG24				
F7353	FUGAKU FLG27-A	270mm/10.7inch	0.85mm	2.7~3.6mm/9.4~7	
F735	Spare Blade for FUGAKU FLG27				
F7363	FUGAKU FLG30-A	300mm/11.8inch	0.9mm	3.1~3.9mm/8.2~6.5	
F736	Spare Blade for FUGAKU FLG30				



Art.No.F7453

SENTEI

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
F7443	FUGAKU FLH24-A	240mm/9.5inch	1.1mm	4.0mm/6.3	EXTRA LARGE TEETH (Trimming, Green Wood, Pruning, Gardening, Fruit Tree)
F744	Spare Blade for FUGAKU FLH24				
F7453	FUGAKU FLH27-A	270mm/10.7inch	1.1mm	4.0mm/6.3	
F745	Spare Blade for FUGAKU FLH27				
F7463	FUGAKU FLH30-A	300mm/11.8inch	1.1mm	4.0mm/6.3	
F746	Spare Blade for FUGAKU FLH30				

08

Razorsaw
FD-20
SERIES

Gyokucho
Razorsaw

In pursuit of ideal quality, RAZORSAW always endeavors to promote technological innovation

Compact, light, portable, and durable, there are six types of blades for FD-20 folding saw series.





Art No.840

BANNO
FD-20A

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
840	FD-20A BANNO	200mm/7.9inch	0.7mm	2.2mm/11.5	All Purpose, Pvc Pipe, Dry Wood, Bamboo
S-840	Spare Blade for FD-20A BANNO				





Art No.841

NAMAKI
FD-20G

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
841	FD-20G NAMAKI	200mm/7.9inch	0.8mm	2.6~3.5mm/9.8~7.3	Green Wood, Gardening
S-841	Spare Blade for FD-20G NAMAKI				






Art No.842

TAKEHIKI
FD-20B

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
842	FD-20B TAKEHIKI	200mm/7.9inch	0.7mm	1.5mm/16.9	Bamboo
S-842	Spare Blade for FD-20B TAKEHIKI				





Art No.843

JUSHI
FD-20J

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
843	FD-20J JUSHI	200mm/7.9inch	0.6mm	1.5mm/16.9	Pvc Pipe, Plastic
S-843	Spare Blade for FD-20J JUSHI				





Art No.844

KAJU
FD-20F

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
844	FD-20F KAJU	200mm/7.9inch	0.7mm	2.2mm/11.5	Fruit Tree, Pruning
S-844	Spare Blade for FD-20F KAJU				






Art No.845

KARIWAKU
FD-20T

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
845	FD-20T KARIWAKU	200mm/7.9inch	1.1mm	3.0mm/8.5	Green Wood, Forestry
S-845	Spare Blade for FD-20T KARIWAKU				




Select 200/250/300 KARIWAKU




Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
153	SELECT 200 KARIWAKU	200mm/7.9inch	0.7mm	2.2mm/11.5	MEDIUM TEETH (Fruit Tree, Pruning, Trimming, Gardening, Green Wood, Bamboo)
S-153	Spare Blade for SELECT 200 KARIWAKU				
163	SELECT 250 KARIWAKU	250mm/9.8inch	0.7mm	2.5mm/10	
S-163	Spare Blade for SELECT 250 KARIWAKU				
173	SELECT 300 KARIWAKU	300mm/11.8inch	0.8mm	3.0mm/8.5	
S-173	Spare Blade for SELECT 300 KARIWAKU				

Select 200/250/300 TAKEHIKI



Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
152	SELECT 200 TAKEHIKI	200mm/7.9inch	0.7mm	1.5mm/16.9	FINE TEETH (Bamboo, Gardening, Fruit Tree)
S-152	Spare Blade for SELECT 200 TAKEHIKI				
162	SELECT 250 TAKEHIKI	250mm/9.8inch	0.7mm	1.7mm/14.9	
S-162	Spare Blade for SELECT 250 TAKEHIKI				
172	SELECT 300 TAKEHIKI	300mm/11.8inch	0.8mm	1.9mm/13.4	
S-172	Spare Blade for SELECT 300 TAKEHIKI				

Select 200/250 JUSHI




Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
151	SELECT 200 JUSHI	200mm/7.9inch	0.7mm	1.5mm/16.9	FINE TEETH PVC Pipe, Plastic
S-151	Spare Blade for SELECT 200 JUSHI				
161	SELECT 250 JUSHI	250mm/9.8inch	0.7mm	1.5mm/16.9	
S-161	Spare Blade for SELECT 250 JUSHI				




Select: The Select saws are especially designed for professionals working in the field. A locking mechanism incorporated in the sheath allows the saw to be carried securely on a belt, yet easily removed with one hand whenever needed.

Select 200/250/300 NAMAKI




Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
154	SELECT 200 NAMAKI	200mm/7.9inch	0.8mm	2.6~3.5mm/9.8~7.3	LARGE TEETH (Green Wood, Pruning, Trimming, Gardening, Fruit Tree)
S-154	Spare Blade for SELECT 200 NAMAKI				
164	SELECT 250 NAMAKI	250mm/9.8inch	0.8mm	2.7~3.6mm/9.4~7.1	
S-164	Spare Blade for SELECT 250 NAMAKI				
174	SELECT 300 NAMAKI	300mm/11.8inch	0.85mm	3.1~3.9mm/8.2~6.5	
S-174	Spare Blade for SELECT 300 NAMAKI				

Select 200/250/300 SENTEI



Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
155	SELECT 200 SENTEI	200mm/7.9inch	1.1mm	3.0mm/8.5	EXTRA LARGE TEETH (Trimming, Green Wood, Pruning, Gardening, Fruit Tree)
S-155	Spare Blade for SELECT 200 SENTEI				
165	SELECT 250 SENTEI	250mm/9.8inch	1.1mm	4.0mm/6.4	
S-165	Spare Blade for SELECT 250 SENTEI				
175	SELECT 300 SENTEI	300mm/11.8inch	1.1mm	4.0mm/6.4	
S-175	Spare Blade for SELECT 300 SENTEI				

Select 200/250/300 KAJU



Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
156	SELECT 200 KAJU	200mm/7.9inch	0.7mm	2.2mm/11.5	MEDIUM TEETH (Fruit Tree, Pruning, Trimming, Gardening, Green Wood, Bamboo)
S-156	Spare Blade for SELECT 200 KAJU				
166	SELECT 250 KAJU	250mm/9.8inch	0.7mm	2.5mm/10	
S-166	Spare Blade for SELECT 250 KAJU				
176	SELECT 300 KAJU	300mm/11.8inch	0.8mm	2.5mm/10	
S-176	Spare Blade for SELECT 300 KAJU				

10

Razorsaw Folding Saw SERIES

Gyokucho
Razorsaw

In pursuit of ideal quality, RAZORSAW always endeavors to promote technological innovation




Folding: Folding Saws are great for safely transporting to the work site and for safe storage in the tool box.
Our folding saws can be obtained with three different tooth patterns to meet every need.

2 steps of Adjustment



Art.No.810




All Purpose

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
810	Folding Saw 200 All purpose	200mm/7.9inch	0.7mm	2.2mm/11.5	General Lumber, Plywood, Laminated Lumber, Green Wood, Bamboo, PVC Pipe
S-810	Spare Blade for Folding Saw 200 All purpose				
812	Folding Saw 250 All purpose	250mm/9.8inch	0.8mm	2.5mm/10	
S-812	Spare Blade for Folding Saw 250 All purpose				



Art.No.811



Trimming




Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
811	Folding Saw 200 Trimming	200mm/7.9inch	0.8mm	2.6~3.5mm/9.8~7.3	Green Wood, General Lumber
S-811	Spare Blade for Folding Saw 200 Trimming				
813	Folding Saw 250 Trimming	250mm/9.8inch	0.85mm	2.7~3.6mm/9.4~7.1	
S-813	Spare Blade for Folding Saw 250 Trimming				



Art.No.814



Fine Cutting




Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
814	Folding Saw 200 Fine Cutting	200mm/7.9inch	0.7mm	1.5mm/16.9	Bamboo Materials, General Lumber, Plywood
S-814	Spare Blade for Folding Saw 200 Fine Cutting				
815	Folding Saw 250 Fine Cutting	250mm/9.8inch	0.8mm	1.7mm/14.9	
S-815	Spare Blade for Folding Saw 250 Fine Cutting				

11

Razorsaw Green Wood & Pruning Saw SERIES

Gyokucho
Razorsaw

In pursuit of ideal quality, RAZORSAW always endeavors to promote technological innovation



Art.No.742W

Super Kenryu


Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
741W	SUPER KENRYU 240	240mm/9.4inch	1.1mm	4.0mm/6.4	Orchard, Forestry, Pruning (With a Wooden Sheath)
S-792	Spare Blade for SUPER KENRYU 240				
742W	SUPER KENRYU 270	270mm/10.6inch	1.1mm	4.0mm/6.4	
S-793	Spare Blade for SUPER KENRYU 270				



Art.No.721

KOBIKI

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
719	KOBIKI 270	270mm/10.6inch	0.8mm	3.2mm~4.0mm/7.9~6.4	The Trunk, Branch for Forestry Work (With a Wooden Sheath)
S-719	Spare Blade for KOBIKI 270				
720	KOBIKI 300	300mm/11.8inch	0.9mm	3.2mm~4.0mm/7.9~6.4	
S-720	Spare Blade for KOBIKI 300				
721	KOBIKI 330	330mm/13.0inch	1.0mm	3.5mm~4.5mm/7.3~5.6	
S-721	Spare Blade for KOBIKI 330				



Art.No.782

Art.No.783

Pole Saw

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
782	SUPER KENRYU POLE SAW 3.4m	300mm/11.8inch	1.1mm	4.0mm/6.4	Orchard, Pruning (With a Stretch Pole)
S-782	Spare Blade for SUPER KENRYU POLE SAW 3.4m				
783	SUPER KENRYU POLE SAW 1.9m	240mm/9.4inch	1.1mm	4.0mm/6.4	
S-783	Spare Blade for SUPER KENRYU POLE SAW 1.9m				



Bamboo: The Bamboo Saws are especially designed to cut bamboo without tearing the outer fiber of the stock.



TAKEHIKI NOKO

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
420	TAKEHIKI NOKO 240	240mm/9.4inch	0.6mm	1.7mm/14.9	Bamboo Craft Work
421	TAKEHIKI NOKO 240 EVA GRIP				
S-420	Spare Blade for TAKEHIKI NOKO 240	330mm/13.0inch	0.8mm	2.5mm/10	Pruning and Harvesting Bamboo
424	TAKEHIKI NOKO 330 EVA GRIP				
S-424	Spare Blade for TAKEHIKI NOKO 330				



KARIWAKU

Art.NO.	ITEM	Blade Length	Blade Thickness	Teeth Pitch/TPI	Use/Feature
501	RAZORSAW KARIWAKU 300 EVA GRIP	300mm/11.8inch	0.8mm	3.0mm/8.5	Log, Beam, Post
S-501	Spare Blade for RAZORSAW KARIWAKU 300				
507	RAZORSAW KARIWAKU 330 EVA GRIP	330mm/13.0inch	0.8mm	3.0mm/8.5	
S-507	Spare Blade for RAZORSAW KARIWAKU 330				

13 Yanipika

Amazing Results

Remove tough resins and polish your blade!

Quick and easy!

100ml 300ml Replacement bottle(300ml)

洗淨力の秘密

刃物専用クリーナー



RAZORSAW ヤニピカ

Spray two to three times. → 20seconds → Leave it for 20 seconds. → Wipe with a dry cloth. → Apply camellia oil as a final touch.

品番 / Art.NO.	商品名 / ITEM	用途 / USE / Feature	入数 (1箱) / Number in a box
9200	Yanipika 100ml	Removes resins on saws, scissors, shears, chain saws, hedge trimmers, etc.	12 bottles
9201	Yanipika 300ml		6 bottles
9202	Yanipika Replacement Bottle		6 bottles

14 Feature

Marking



Laser marking not disappearing

While respecting proven manufacturing traditions, RAZORSAW is at the forefront of innovative technology. Now, all of our saws have their specifications (i.e. article name, number, blade thickness and length) permanently laser engraved on each and every blade. This means that you will always be able to identify your saw. Should you ever need to replace your saw or its blade, the information is immediately available.

Impulse Hardening

The secret of long blade life is here!

Impulse Hardening tempers only the surface leaving the core of the tooth flexible.



What is Impulse Hardening ?

Impulse Hardening is the modern method of creating a saw blade with a long working life. The cutting edge is heated for 0.003~0.005 seconds by applying an electrical current at 27.12MHz. This creates a shock wave on the surface of the each tooth that hardens it to Hv900~1200. For comparison, sharpening files are only hardened to Hv800~850.

Why do saws from other manufacturers fail?

Other manufacturers use a process that applies hardening several times or two more than one tooth. This causes uneven hardening and cracks will occur which can cause the tooth to easily break.

We are proud to use a more sophisticated Impulse Hardening Technique.

After intensive research, our company developed an Impulse Hardening machine which leaves the tooth both durable and hard. The fundamental difference is we harden each tooth one at a time leaving the surface hard for durability and the core soft for flexibility.

Special Surface Treatment

Our blades are treated to minimize tarnishing and rusting and increasing durability!

What is our Special Surface Treatment?

Generally speaking, it is a matter of rustproof treatment. Electroless Nickel Plating is adopted in our company.

We use the latest chemical process to plate our blades with a micro-thin nickel coating. This is accomplished without the use of an electrical current, so the plating is of a very uniform thickness. After being plated, the nickel plating enhances durability of the rust. The plating process produces such a smooth surface that adhesion of tree resins is greatly reduced and if occurs is easily washed from the blade with warm water. As you may know, rust is always a problem with steel products, particularly in humid and coastal areas. Our Special Surface Treatment helps to prevent rust and tarnish.

15 Company Profile



RAZORSAW Manufacturing Co., Ltd.

Address 1323-29, KASHIYAMA-CHOU, ONO-CITY, HYOGO-PREF. 675-1325 JAPAN
TEL +81-(0)794-63-1100
FAX +81-(0)794-63-5166
Representative Michisuke Tomosada
Capital Ten million (Japanese yen)
Business Manufactures and sells saws with a replacement blade.
URL <http://www.razorsaw.co.jp>
E-mail info@razorsaw.co.jp



GYOKUCHO Co., Ltd.

Address 58-14, OMURA, MIKI-CITY, HYOGO-PREF. 673-0404 JAPAN
TEL +81-(0)794-83-2277 **FAX** +81-(0)794-83-3479
Representative Michisuke Tomosada
Capital Ten million (Japanese yen)
Business Sells saws with a replacement blade and metal products for Japanese domestic market and overseas.
URL <http://www.gyokucho.co.jp>
<http://fugaku-japan.com/>
<http://www.miki-japan.com/>
E-mail info@gyokucho.co.jp

世界へそして未来へ。

